




QM1




Pos.	Number	Description	Qty
1	4480	Welded toprosette	1
2	4482	Air grill	1
3	44000	Base complete	1
4	B-501080	Adjustable leg	4




Pos.	Number	Description	Qty
1	44-536	Weight stone	6
2	44-538	Weight stone	6
3	44-535	Weight stone	6




Pos.	Number	Description	Qty
1	44-568	washer brass	2
2	44-598	Shaft for hinge	3
3	44-578	Pin for hinge	1
4	B-330506	Socket set screw M5 x 6 DIN913	4
5	44-560	Pin	4
6	44-118	Hinge plate part 2	2
7	44-074	Hinge part	2
8	B-360510	Button head screw M5 x 10	4
9	B-300612	Screw countersunk M6x12 DIN7991	1
10	44-332	Hinge part	1
11	44-246	spring plate	1




Pos.	Number	Description	Qty
1	4426	Handle for convection	1
2	B-370616	Hex cap screw M6x16 DIN933	2
3	735-146	Plate for arm	1
4	735-150	Connection plate for damper	1
5	B-210008	Nut M8 DIN 934 8.8	1
6	B-220006	Lovk nut M6 DIN980V ISO7042	2





Pos.	Number	Description	Qty
1	B-300830	Screw countersunk M8 x 30 DIN7991	6
2	P-100014	Rope seal ø14	1
3	44-408	Inner frame casted	1
4	44-600	Seal for door	2
5	44-518	Glass for door	1
6	Div-103035	Magnet	2
7	B-300612	Screw countersunk M6x12 DIN7991	2
8	44-244	Door stop	1
9	B-300506	Hex socket countersunk head screw M5x8 DIN7991 8.8	1
10	4404	Door plate welded	1
11	44-124	Latch plate for door	1
12	B-370616	Hex cap screw M6x16 DIN933	2
13	B-070006	Springwasher 6mm DIN137	1
14	4432	Handle welded	1
15	fje-1125375	Spring for B1	1
16	B-370616	Hex cap screw M6x16 DIN933	1
17	44-564	Bushing for lock	1




Pos.	Number	Description	Qty
1	44-430	Deflector plate	1
2	44-544	Insulation side upper	2
3	44-590	Insulation side upper	2
4	44-576	Insulation Upper back	2
5	44-548	Insulation side lower	2
6	44-547	Insulation front side left	1
7	44-546	Insulation side front	1
8	44-542	Insulation back left	1
9	44-545	Insulation back right	1
10	44-540	Insulation bottom	2




Pos.	Number	Description	Qty
1	4424	Handle for damper	1
2	735-146	Plate for arm	1
3	B-220006	Lock nut M6 DIN980V ISO7042	2
4	B-210008	Nut M8 DIN 934 8.8	1
5	735-150	Connection plate for damper	1
6	B-370620	Hex cap screw M6x20 DIN933	2
7	75521	Welded damper arm	1
8	75519	Welded damper plate	1
9	B-330510	Socket set screw M5x10 DIN913 ISO4026 45H	1
10	75522	Damper welded	1
11	B-360510	Button head screw M5 x 10	7
12	73550	Air pipe	1



Pos.	Number	Description	Qty
1	44-510	Top plate left	2
2	44-126	Guide ring	1
3	44-224	Top fittings 90°	4
4	44-222	Bracket top straight	6
5	01-528	Spring	19
6	44-502	Low stone	14
7	44-218	Fittings straight	6
8	44-220	Fittings 90°	4
9	44-232	Fittings above door, left	1
10	44-226	Fittings above door, right	1
11	01-246	Fittings vertical	2
12	44-506	High stone	6
13	44-504	Low stone with air hole	1
14	44-532	Low stone with air hole left	1
15	44-230	Bottom bracket 90°	4
16	44-228	Bottom bracket straight	4
17	44-512	Soapstone base	4



Pos.	Number	Description	Qty
1	44-510	Top plate left	2
2	44-126	Guide ring	1
3	44-224	Top fittings 90°	4
4	44-222	Bracket top straight	6
5	01-528	Spring	19
6	44-502	Low stone	14
7	44-218	Fittings straight	6
8	44-220	Fittings 90°	4
9	44-232	Fittings above door, left	1
10	44-226	Fittings above door, right	1
11	01-246	Fittings vertical	2
12	44-506	High stone	6
13	44-504	Low stone with air hole	1
14	44-532	Low stone with air hole left	1
15	44-230	Bottom bracket 90°	4
16	44-228	Bottom bracket straight	4
17	44-512	Soapstone base	4



Pos.	Number	Description	Qty
1	44-240	Part above the door	1
2	B-330806	Socket set screw M8x6 ISO 4026 - DIN 913 45H	4
3	4434	Magnet plate assembled	2
4	44-142	Tertiary Air duct	1
5	B-360630	Button head screw M6x30 ISO7380	2
6	44-028	Removable part	1
7	B-360308	Skrue M3x8 ISO 7380	2
8	44-210	Plate under door	1
9	B-360510	Button head screw M5 x 10	1
10	P-110006	Seal	1

