




## M700




| Pos. | Number   | Description              | Qty |
|------|----------|--------------------------|-----|
| 1    | B-360508 | Button head screw M5 x 8 | 6   |
| 2    | 77-110   | part on back wall        | 1   |
| 3    | 77-400   | Back side insulation     | 2   |
| 4    | 77-402   | Lower back insulation    | 2   |
| 5    | 77-107   | Rightt part for wall     | 1   |
| 6    | 77-106   | Leftt part for wall      | 1   |
| 7    | B-360610 | Button head screw M6x10  | 3   |
| 8    | 77-104   | Bottom part wall         | 1   |




| Pos. | Number | Description            | Qty |
|------|--------|------------------------|-----|
| 1    | 77-516 | Weight stone           | 54  |
| 2    | 77-118 | Plate for weight stone | 1   |
| 3    | 77-522 | Weight stone           | 12  |
| 4    | 77-520 | Weight stone           | 6   |





| Pos. | Number     | Description                     | Qty |
|------|------------|---------------------------------|-----|
| 1    | 7744       | Welded pipe adapter             | 1   |
| 2    | B-360610   | Button head screw M6x10         | 4   |
| 3    | 7832       | Hinge selfclosing door          | 1   |
| 4    | B-300510   | Screw countersunk M5x10 DIN7991 | 1   |
| 5    | Fje-021160 | Spring                          | 1   |
| 6    | 47-112     | Arm for spring                  | 1   |
| 7    | 7818       | Hinge lower                     | 1   |
| 8    | B-360616   | Button head screw M6x16         | 2   |
| 9    | 47-036     | Hinge block                     | 1   |
| 10   | 7828       | Hinge part lower                | 1   |
| 11   | B-010006   | Washer 6 mm DIN125A             | 2   |
| 12   | B-360630   | Button head screw M6x30 ISO7380 | 2   |
| 13   | 7813       | Hinge cpl upper                 | 1   |




| Pos. | Number   | Description                                    | Qty |
|------|----------|------------------------------------------------|-----|
| 1    | B-300408 | Hex socket countersunk head screw M4x8 DIN7991 | 9   |
| 2    | P-100014 | Rope seal ø14                                  | 1   |
| 3    | 78-416   | Casted back frame                              | 1   |
| 4    | 47-502   | Glass                                          | 1   |
| 5    | P-11006  | Rope seal ø6                                   | 1   |
| 6    | 7811     | Welded hook                                    | 1   |
| 7    | 78-316   | Washer for closing mechanism                   | 1   |
| 8    | B-340506 | Socket set screw M5x6 DIN 914                  | 1   |
| 9    | 78-020   | Closing hook                                   | 1   |
| 10   | B-330520 | Socket set screw M5 x 20 DIN913                | 1   |
| 11   | 47-310   | Air handle                                     | 1   |
| 12   | 7803     | Door plate welded                              | 1   |
| 13   | B-300406 | Screw countersunk M4x6 DIN7991 8.8             | 1   |
| 14   | 78-222   | Lock for door                                  | 1   |




| Pos. | Number | Description              | Qty |
|------|--------|--------------------------|-----|
| 1    | 77-424 | Deflector plate          | 1   |
| 2    | 77-430 | Insulation left side     | 1   |
| 3    | 77-426 | Insulation back side top | 1   |
| 4    | 77-422 | Insulation back side     | 1   |
| 5    | 77-431 | Insulation right side    | 1   |
| 6    | 77-420 | Insulation bottom        | 2   |





| Pos. | Number   | Description                 | Qty |
|------|----------|-----------------------------|-----|
| 1    | 47-0008  | Air handle                  | 1   |
| 2    | 47-0009  | Air bar                     | 1   |
| 3    | B-360516 | Buttonhead screw M5x16      | 1   |
| 4    | B-210005 | Lock nut M5                 | 1   |
| 5    | B-220006 | Lock nut M6 DIN980V ISO7042 | 1   |
| 6    | 7144     | Assembled damper            | 1   |
| 7    | B-370620 | Hex cap screw M6x20 DIN933  | 1   |
| 8    | B-360508 | Button head screw M5 x 8    | 4   |
| 9    | B-360616 | Button head screw M6x16     | 2   |



| Pos. | Number   | Description                                  | Qty |
|------|----------|----------------------------------------------|-----|
| 1    | 77-002   | Plate                                        | 1   |
| 2    | 77-202   | Plate under door                             | 1   |
| 3    | B-360510 | Button head screw M5 x 10                    | 2   |
| 4    | B-360308 | Skrue M3x8 ISO 7380                          | 2   |
| 5    | B-330520 | Socket set screw M5 x 20 DIN913              | 4   |
| 6    | B-330806 | Socket set screw M8x6 ISO 4026 - DIN 913 45H | 4   |
| 7    | B-360508 | Button head screw M5 x 8                     | 1   |
| 8    | 77-116   | Cover plate                                  | 1   |
| 9    | 77-200   | Plate over door                              | 1   |
| 10   | 01001    | Top plate open/close                         | 1   |



| Pos. | Number | Description                         | Qty |
|------|--------|-------------------------------------|-----|
| 1    | 77-214 | Connection angle bottom             | 4   |
| 2    | 77-212 | Connection plate bottom             | 5   |
| 3    | 77-502 | Soapstone front bottom              | 2   |
| 4    | 77-500 | soapstone side lowest front         | 2   |
| 5    | 77-504 | soapstone lowest middle and back    | 4   |
| 6    | 44-222 | Bracket top straight                | 2   |
| 7    | 77-216 | Connection angle                    | 8   |
| 8    | 77-205 | Connection angle left back          | 1   |
| 9    | 77-204 | Connection angle right back         | 1   |
| 10   | 01-528 | Spring                              | 14  |
| 11   | 77-506 | Soapstone side high front           | 2   |
| 12   | 77-510 | Soapstone side high middle and back | 4   |
| 13   | 77-210 | Connection bracket                  | 1   |
| 14   | 77-518 | Soapstone front top                 | 2   |
| 15   | 77-508 | soapstone side low front            | 2   |
| 16   | 77-512 | Soapstone side low middle and back  | 4   |
| 17   | 77-300 | Spring                              | 2   |
| 18   | 77-218 | Connection angle top                | 4   |
| 19   | 77-207 | Connection angle top left           | 1   |
| 20   | 77-206 | Connection angle top right          | 1   |
| 21   | 77-514 | Topplate                            | 1   |
| 22   | 77-515 | topplate left                       | 1   |



| Pos. | Number   | Description                     | Qty |
|------|----------|---------------------------------|-----|
| 1    | 78-214   | Log stop                        | 1   |
| 2    | B-360630 | Button head screw M6x30 ISO7380 | 2   |
| 3    | 78-106   | Tertiary air passage            | 1   |
| 4    | P-110006 | Seal                            | 1   |

