




Allure

Exploded view



Allure



Pos	Number	Description	Qty
1	16838	Deflector plate vermi	1
2	12063	Insulation side front left	1
3	12061	Insulation side back left	1
4	12021	Insulation back left	1
5	12031	Insulation back right	1
6	12011	Insulation side back right	1
7	12012	Insulation side front right	1
8	10851	Bottom chamber casted	1



Allure


Pos	Number	Description	Qty
1	11605/11606*	Cover to handle for damper	1
2	91-0065	Damper plate for slide part	1
3	13667	Washer 10 mm DIN125A	1
4	11137	Spring	1
5	13766	Plain washer 6 mm DIN9021	1
6	13701	Buttonhead screw M5 x 12 ISO7380	1
7	14641	Socket head cap screw M5 x 20 DIN912	1
8	11608	Rubber bushing	1
9	12412	Bushing	1
10	B-320508	Socket head cap screw M5 x 8 DIN912	1
11	11168	Button head screw M5 x 6 ISO7380 8.8	2
12	13673	Washer 5 mm DIN125A	2
13	13864	Tube for air damper	1
14	13383	Sheet spring with slide part	1

*depends on colour/style




Allure

Pos	Number	Description	Qty
1	13275	Door assembled	1
2	11656	Handle Classic welded	1
3	11168	Button head screw M5 x 6 ISO7380 8.8	2
4	11965	Hex socket countersunk head screw M4x20 DIN7991	2
5	12558	Magnet 45 x 25 x 12	1
6	16984	block up part for magnet	2
7	91-0087	Bracket for magnet for door	1
8	13673	Washer 5 mm DIN125A	2
9	14001	Socket head cap screw M5 x 12 DIN912	2




Allure

Pos	Number	Description	Qty
1	91013	Lower door welded	1
2	15863	Hinges part for lower door	2
3	11727	Hinges back plate for lower door	2
4	13051	Push button for lower door assembled	1
5	13007	Plate for stop for lower door	1
6	14645	Socket head cap screw M5 x 5 DIN 912 8.8	1
7	91027	Heat shields assembled	1
8	11968	Hex socket countersunk head screw M4x8 DIN7991	4



Allure

Pos	Number	Description	Qty
1	91-0099	Deflector plate steel	1
2	91-0082	Heat shields back	1
3	14646	Socket head cap screw M5 x 6 DIN912 8.8	2
4	10537	Middle back plate	1
5	11990	Hex socket countersunk head screw M5x8 DIN7991 8.8	10
6	12993	Plastic plug	1
7	13955	Adjustable leg	4



Allure

Pos	Number	Description	Qty
1	15570	top plate welded	1
2	11608	Rubber bushing	4
3	14001	Socket head cap screw M5 x 12 DIN912	4
4	13765	Plain washer 5 mm DIN9021	8
5	13488	Side panels left welded	1
6	13462	Side panel right welded	1
7	12873	Front above door welded	1
9	12651	Nut M5 DIN 934 8.8	4
10	91-0085	Heat shields side	2
11	14646	Socket head cap screw M5 x 6 DIN912 8.8	4

